

**Amendment to the Claims:**

The listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

Claim 1 (Currently amended): A molded ~~block for a paving-stone covering~~, made of concrete, having approximately the shape of a cube, each face of said ~~molded block~~ paving-stone having at least a portion which is planar, the distances between the planar portions of the opposite faces of said paving-stone ~~molded block~~ being substantially equal, at least a first one of the faces of said paving-stone ~~molded block~~ being substantially planar over substantially its entire surface area, at least a second one of said faces having at least one rounded portion extending toward one side edge of said paving-stone ~~molded block~~ over at least 1/6 of said at least one face and wherein each face of the paving-stone can be used as a horizontal upper face.

Claim 2 (Cancel)

Claim 3 (Currently amended): A set of paving-stones ~~molded block made of concrete~~ comprising a first paving-stone ~~molded block~~ according to claim 1, a second paving-stone ~~molded block~~ having an oblong shape, with a width and height of edge dimension L equal to that of said first paving-stone ~~cube~~ and a length of edge dimension 2L, whereby said second paving-stone ~~molded block~~ can be rotated through 90° and/or 180° about its horizontal longitudinal axis during laying, with a constant ~~block~~ paving stone height.

(09/826,414)

Claim 4 (Currently amended): A set of paving-stones ~~molded blocks~~ made of concrete comprising a first paving-stone ~~molded block~~ according to claim 1, and a second paving-stone ~~molded block~~ in the form of a one-piece block which is square in plan view and with dimensions of four ~~cubes~~ of the first paving-stone with the size of said first mentioned cube lying beside one another.

Claim 5 (Currently amended): A paving-stone ~~molded block~~ according to claim 1, wherein the radius of curvature of the rounded portion moving toward said side edge is formed as a curve with, in plan view or side view, a radius of curvature which decreases constantly toward the said side edge.

Claim 6 (Currently amended): A paving-stone ~~molded block~~ according to claim 1, wherein a face of the paving-stone ~~molded block~~ is shaped to form a clothoid extending toward said side edge over approx. 1/4 to 1/6 of the paving-stone length.

Claim 7 (Currently amended): A paving-stone ~~molded block~~ according to claim 1, wherein at least one side edge of said paving-stone ~~molded block~~ is formed to be sharp-edged.

Claim 8 (Currently amended): A paving-stone ~~molded block~~ according to claim 1, having clothoidal rounded portions on at least two opposing side faces.

9-11 (Canceled)

Claim 12 (Currently amended): A paving-stone ~~molded block~~ as recited in claim 1, wherein said paving-stone ~~molded block~~ has two opposite faces which are substantially planar over their entire surface areas.

Claim 13 (Currently amended): A laid set of paving-stones ~~blocks~~ comprising paving-stones ~~molded block~~ according to claim 1, laid adjacent to one another in a pattern wherein some of said paving-stone ~~molded block~~ of said set have as their upper surfaces the faces which are substantially planar over substantially their entire surface areas and some of said paving-stones ~~molded blocks~~ of said set have as their upper surfaces the faces having rounded portions, wherein the upper surface of each of the ~~blocks~~ paving stones of said set is at the same height.

Claim 14 (Currently amended): A ~~molded block for a paving-stone covering~~, made of concrete, having approximately the shape of a cube and having three sets of opposite faces, each face of said paving-stone ~~molded block~~ having at least a portion which is planar, the distance between the planar portions of each set of opposite faces being substantially equal to the distance between the planar portions of each other set of opposite faces, at least a first one of the faces of said paving-stone ~~molded block~~ being substantially planar over substantially its entire surface area, at least a second one of said faces having at least one rounded portion extending toward one side edge of said paving-stone ~~molded block~~ over at least 1/6 of said at least one face and wherein each face of the paving-stone can be used as a horizontal upper face.

(09/826,414)

Claim 15 (Cancel)

Claim 16 (Currently amended): A set of paving-stones ~~molded blocks~~ made of concrete comprising a first paving-stone ~~molded block~~ according to claim 14, a second paving-stone ~~molded block~~ having an oblong shape, with a width and height of edge dimension L equal to that of said first paving-stone ~~cube~~ and a length of edge dimension 2L, whereby said second paving-stone ~~molded block~~ can be rotated through 90° and/or 180° about its horizontal longitudinal axis during laying, with a constant ~~block~~ paving-stone height.

Claim 17 (Currently amended): A set of paving-stones ~~molded blocks~~ ~~made of concrete~~ comprising a first paving-stone ~~molded block~~ according to claim 14, and a second paving-stone ~~molded block~~ in the form of a one-piece block which is square in plan view and with dimensions of four cubes with the size of said first mentioned cube lying beside one another.

Claim 18 (Currently amended): A paving-stone ~~molded block~~ according to claim 14, wherein the radius of curvature of the rounded portion moving toward said side edge is formed as a curve with, in plan view or side view, a radius of curvature which decreases constantly toward the said side edge.

Claim 19 (Currently amended): A paving-stone ~~molded block~~ according to claim 14, wherein a face of the paving-stone ~~molded block~~ is shaped to form a clothoid extending toward said side edge over approx. 1/4 to 1/6 of the cube length.

Claim 20 (Currently amended): A paving-stone ~~molded block~~ according to claim 14, wherein at least one side edge of said paving-stone ~~molded block~~ is formed to be sharp-edged.

Claim 21 (Currently amended): A paving-stone ~~molded block~~ according to claim 14, having clothoidal rounded portions on at least two opposite faces.

Claim 22 (Currently amended): A paving-stone ~~molded block~~ as recited in claim 14, wherein said paving-stone ~~molded block~~ has two opposite faces which are substantially planar over their entire surface areas.

Claim 23 (Currently amended): A laid set of paving-stone ~~blocks~~ comprising paving-stones ~~molded blocks~~ according to claim 14, laid adjacent to one another in a pattern wherein some of said paving-stones ~~molded block~~ of said set have as their upper surfaces the faces which are substantially planar over substantially their entire surface areas and some of said paving-stones ~~molded blocks~~ of said set have as their upper surfaces the faces having rounded portions, wherein the upper surface of each of the paving-stones ~~molded blocks~~ of said set is at the same height.